

JAKÁ JE VAŠE SÍLA SKUSU?


Velmi vysoká



Velmi nízká



REFERENČNÍ HODNOTY SÍLY SKUSU



Vysvětlení jednotlivých úrovní

Nadměrná síla

Žádná dietní omezení související se silou skusu.

Normální síla

Žádná dietní omezení související se silou skusu.

Mírný deficit

Obtíže nebo neschopnost žvýkat některé potraviny; pacient může udržovat zdravou a vyváženou stravu.

Významný deficit

Neschopnost žvýkat několik potravin potřebných k udržení zdravé stravy. Zdravotní potíže související se stravou.

Závažný deficit

Schopnost žvýkání je omezena na potraviny s nízkým odporem. Časté zdravotní problémy související s nedostatečnou stravou vedoucí ke snížení kvality života.

Kritický deficit

Úplná neschopnost používat protézy k ukousnutí a žvýkání potravin. Závažný dopad na zdraví a kvalitu života je výrazný.

1. van Vuuren JL, Broadbent JM, Duncan WJ, Waddell JN. Maximum voluntary bite force, occlusal contact points and associated stresses on posterior teeth. Journal of the Royal Society of New Zealand. 2020 Jan 2;50(1):132-43.

2. Hattori Y, Satoh C, Kunieda T, et al. Bite forces and their resultants during forceful intercuspal clenching in humans. J Biomech 2009;42:1533-1538.

3. Bakke M. Bite Force and Occlusion. Semin Orthod 2006;12:120-126.

4. Komiyama T, Ohi T, Miyoshi Y, et al. Verification of the criteria for reduced occlusal force to diagnose oral hypofunction in older Japanese people: A prospective cohort study on incident functional disability. J Oral Rehabil 2020;47:989-997.

